



RELEASED AM 1400 5-22-78

NOTES: UNLESS OTHERWISE SPECIFIED

- CAPACITANCE VALUES ARE IN MICROFARADS, 10S, 250V.
- RESISTORS ARE 1/2W, 10% COMPOSITION.
- DC VOLTAGES TAKEN WITH NO SIGNAL APPLIED USING A 20,000 OHM/VOLT VOLTMETER.
- TYPICAL SIGNAL VOLTAGES SHOWN IN BOXES.
- SEMICONDUCTORS ARE SELECTED. UNSELECTED REPLACEMENTS MAY EXHIBIT IMPROPER OPERATION OR SHORT LIFE.
- ACTUAL CIRCUIT MAY VARY SLIGHTLY DUE TO NORMAL PRODUCTION CHANGES.
- NUMBERS IN PARENTHESES ARE AMPER PART NUMBERS.

| | | |
|--|----------|---------------|
| ADDITIONAL INFORMATION | MATERIAL | FINISH |
| | | |
| <p>THE AMPEG COMPANY DIVISION OF THE MAGNAVOX COMPANY</p> <p>SIGNATURE: L. STROUD DATE: 2-22-78</p> <p>SCALE: 1:1</p> <p>THIS MATERIAL IS THE PROPERTY OF AND PROPRIETARY TO THE MAGNAVOX COMPANY AND IS NOT TO BE DISCLOSED TO OTHERS OR USED FOR OTHER THAN AUTHORIZED MAGNAVOX PURPOSES WITHOUT THE WRITTEN PERMISSION OF THE MAGNAVOX COMPANY. THIS MATERIAL MUST BE RETURNED TO THE MAGNAVOX COMPANY WHEN THE HOLDER NO LONGER REQUIRES IT. USE FOR AUTHORIZED MAGNAVOX PURPOSES.</p> | | |
| <p>591789-1</p> <p>PART NO.</p> | | <p>591789</p> |