

THE AMPEG
GEMINI SERIES
G-20 and G-12

**FLEXIBILITY,
POWER AND QUALITY**



G-20

SPECIFICATIONS:

G-20 GEMINI 20

Power 35 watts RMS (88 watts peak music power)
Speakers Two 10"
Features 2 Channels, 4 Inputs, Tremolo, Reverb, Afterbeat, Ultra-Hi, Polarity Switch, A.C. Outlet, Extension amplifier jack, Extension speaker jack, Foot switch and Standby switch.
Shpg. Wt. 63 lbs.
Dimensions 21" x 25½" x 11"
Cover Optional

G-12 GEMINI 12

Power 22 watts RMS (44 watts peak music power)
Speaker One 12"
Features 2 Channels, 4 Inputs, Tremolo, Reverb, Afterbeat, Ultra-Hi, Polarity switch, A.C. outlet, Extension amplifier jack, and Foot switch.
Shpg. Wt. 53 lbs.
Dimensions 21" x 25½" x 11"
Cover Optional
(G-12 also available with Altec Lansing 417B speaker)



THE AMPEG COMPANY, INC.
330 DALZIEL ROAD
LINDEN, NEW JERSEY 07036

THE AMPEG
GEMINI SERIES
GV-22 and GV-15

**FLEXIBILITY,
POWER AND QUALITY**



GV-22

SPECIFICATIONS:

GV-22 GEMINI 22


- Power** 35 watts RMS (88 watts peak music power)
- Speakers** Two 12"
- Features** 2 Channels, 4 Inputs, Tremolo, Vibrato, Reverb, Afterbeat, Ultra-Hi, Ultra-Lo, Polarity switch, Standby switch, A.C. outlet, Extension amplifier jack, Extension speaker jack and Foot switch.
- Shpg. Wt.** 65 lbs.
- Dimensions** 23" x 26½" x 11"
- Cover** Optional
(GV-22 also available with 2 Altec Lansing 417B speakers)

GV-15 GEMINI 15

- Power** 35 watts RMS (88 watts peak music power)
- Speaker** One 15"
- Features** 2 Channels, 4 Inputs, Tremolo, Vibrato, Reverb, Afterbeat, Ultra-Hi, Ultra-Lo, Polarity switch, Standby switch, A.C. outlet, Extension amplifier jack, Extension speaker jack and Foot switch.
- Shpg. Wt.** 65 lbs.
- Dimensions** 23" x 26½" x 11"
- Cover** Optional
(GV-15 also available with 1 Altec Lansing 418B speaker)



THE AMPEG COMPANY, INC.
330 DALZIEL ROAD
LINDEN, NEW JERSEY 07036



NOTE: D.C. VOLTAGE READINGS WITH NO SIGNAL. INSERTED. * Module TM-1 factory replacement only. INTENT PURPOSES.
 NOTE: Voltage reading with 20,000-ohm meter. ** Factory adjusted to give 80ma of plate current for both V1 & V2.
 POST OFFICE BOX 513

MODEL NO. G-15 GEMINI II
 Tube Location
 7591 7199 12AX7 12AX7 12AX7 6CG7 6CG7 12AX7

THE SYLVANIA
 CO INC
 4844 CORD STREET
 LINDEN, NEW JERSEY